



COLLAGEN *Select*

Technical documentation

30 portions x 5 g



Website: <http://nutriprofits.com>

Partner service: support@nutriprofits.com

© 2013-2019 NutriProfits. All rights reserved.

COLLAGEN SELECT FOOD SUPPLEMENT LABEL

COLLAGEN SELECT FOOD SUPPLEMENT

30 servings / 5 g

Collagen Select is a multi-ingredient food supplement with a tropical flavour. It contains an assortment of ingredients that assist both the look and health of skin and maintains the proper condition of the mucous membranes. It contributes to the proper production of collagen, helps to maintain healthy hair and nails, and also contributes in protecting cellular components from oxidative damage. Additionally, the supplement also affects the maintenance of normal pigmentation of both hair and skin.

EN	1 serving	% NRV*
Collagen Hydrolysate – Verisol®	2500.00 mg	
Moldavian Dragonhead Herb Extract – DracoBelle™ Nu	200.00 mg	
Vitamin A	800.00 µg	100%
Vitamin C	80.00 mg	100%
Riboflavin	1.40 mg	100%
Niacin	16.00 mg	100%
Biotin	500.00 µg	1000%
Zinc	10.00 mg	100%
Copper	1.00 mg	100%

* NRV - Nutrient Reference Value

INGREDIENTS: Collagen Hydrolysate – Verisol®; Acidity Regulator – Citric Acid; Maltodextrin; Flavour; Moldavian Dragonhead Herb Extract (*Dracocephalum moldavica*) – DracoBelle™ Nu; Thickener – Xanthan Gum; Thickener – Guar Gum; L-Ascorbic Acid (Vitamin C); Colour – Beta-Carotene; Zinc Citrate; Sweetener – Sucralose; Niacinamide (Niacin); Sweetener – Steviol Glycosides; Retinyl Acetate (Vitamin A); Copper Gluconate; Riboflavin; D-Biotin (Biotin).

METHOD OF USE: Add 1 scoop (included) of the product to 200 ml (70 oz) of water and mix thoroughly. Take 1 servings daily.

WARNINGS: Do not exceed recommended servings for consumption during the day. The product should not be used as a substitute for a balanced diet or a healthy lifestyle. This formula is not intended for children, pregnant women and nursing mothers.

STORAGE: Store in a dry place at room temperature in a tightly closed container. Store out of reach of small children.

BEST BEFORE / BATCH NUMBER: See base of the packaging.

PRODUCER: Natural Labs LLC, 501 Silverside Rd, Ste 105, Wilmington, DE 19809, USA.

COUNTRY OF ORIGIN: European Union.

NET WEIGHT: 150 g

REPORT OF LABORATORY ANALYSIS



REPORT OF ANALYSIS No. 130739/19/SGDY

		Sample description (according to declaration of Client) COLLAGEN SELECT 150 g Lot: 311903 Best before: 28-02-2021 Sample without any visible damages
Sample received:	2019-03-20	Order of 2019-03-19 The samples were delivered by Client
Analysis completed:	2019-04-01	
Report dated:	2019-04-01	

Test	Method	Unit	Result	Criteria	Parameter compliant / non-compliant
* Enumeration of mesophilic aerobic bacteria	PN-EN ISO 4833-1:2013-12	cfu/g	8,0x10 ¹	-	-
* Enumeration of fungi (molds and yeasts)	PN-ISO 7954:1999	cfu/ g	< 1,0x10 ¹	-	-
* Detection of Escherichia coli	PN-ISO 7251:2006		absent in 1g	-	-
* Detection of coagulase-positive staphylococci (Staphylococcus aureus and other species)	PN-EN ISO 6888-3:2004+AC:2005		absent in 1g	-	-
* Detection of Salmonella spp	PN-EN ISO 6579:2003+AC:2014-11		absent in 25g	-	-
* Polycyclic aromatic hydrocarbons (PAHs) ^{1)2) 1)2)}	PB-117/HPLC ed. VI of 20.01.2019				
Benzo(a)pyrene		µg/kg	< 1,0	≤ 10,0	compliant
Σ PAHs (Benzo(a)pyrene, Benz(a)anthracene, Chrysene, Benzo(b)fluoranthene)		µg/kg	below quantification limit	≤ 50,0	compliant
* Cadmium ¹⁾	PN-EN 15763:2010	mg/kg	0,0016 ± 0,0004	≤ 1,0	compliant
* Lead ¹⁾	PN-EN 15763:2010	mg/kg	< 0,010	≤ 3,0	compliant
* Mercury ¹⁾	PB-30/CVAAS ed. V of 18.09.2012	mg/kg	< 0,0006	≤ 0,10	compliant

¹⁾ Commission Regulation (EC) No 1881/2006 of 19 December 2006, as amended, setting maximum levels for certain contaminants in foodstuffs.

²⁾ Limit of quantification for benzo(a)pyrene, benz(a)anthracene, chrysene, benzo(b)fluoranthene: 1,0 µg/kg.

END OF REPORT

Authorized by: Anna Polanin, Deputy Manager of Microbiology Laboratory
Katarzyna Szpinda, Expert Analyst, Spectroscopy Laboratory
Marta Różycka, Expert Analyst, Spectroscopy Laboratory
Żaneta Nowińska-Słowik, Expert Analyst, Liquid Chromatography Laboratory
Approved by: Hanna Wachowska, Laboratory Director (Approved with electronic signature)

Laboratory: Gdynia 81-571, Chwaszczyńska 180, Szczecin 70-605, ul. Ks. Stanisława Kujota 8

The results relate to the analysed samples only. Unless otherwise specified given measurement uncertainty was estimated for the coverage factor k=2 at 95% confidence level. Sampling uncertainty has not been taken into consideration. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

* Test method accredited; # Test performed by subcontractor

Page 1 / 1

Form PO-14/08f of 27.03.2019

J.S. HAMILTON POLAND Sp. z o.o.
TESTING LABORATORY

ul. Chwaszczyńska 180, 81-571 Gdynia, Poland, tel. +48 58 766 99 00

